HPE6-A66$^{Q\&As}$

Aruba Certified Design Associate Exam

Pass HP HPE6-A66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/hpe6-a66.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A network architect needs to design a new wireless solution for a small company The architect estimates that about 150 APs will be required to implement a capacity design. Roaming support is required. Also, the design requires meshing to connect some of the APs to the network. The customer requires that client state synchronization be provided for real-time failover. Which solution would most cost-effectively meet these requirements?

A. IAPs in a cluster

B. FRAPs in a cluster

C. Two 7205 mobility controller and campus APs in a cluster

D. Two 7030 mobility controller and campus APs in a cluster

Correct Answer: B

QUESTION 2

NewStellar has a main corporate campus in a business park with two adjacent buildings that are 150 feet apart (46 meters). This is an open campus with no obstructions between the two buildings Each building has three floors and each floor is 322 x 175 feet (98 x 53 meters) for 56,350 square feet (5,235 square meters) total, which results in a total of 338,100 feet (31,410 square meters) for the entire building space. The ceiling for each floor is 12 feet (3.6 meters) high with a dro

the attached exhibit.

This floor has a central main corridor with washrooms, stairs, elevators and supply, and network cabinets. There are

cubicles around the perimeter of the floor. The central part main corridor\\'s dimensions contain 9,350 square feet (870 square meters). The company has determined that Wi-Fi coverage will not include the central area of each floor, which includes the washrooms, stairs, elevators and supply and network cabinets. Based on a capacity design, approximately how many APs should a network architect add to each floor to plan the design in VisuaiRF?

A. 40

B. 10

C. 20

D. 30

Correct Answer: C

QUESTION 3

A network architect has developed a design for a new Aruba Wi-Fi network that will include a hardware Mobility Master (MM) running the ArubaOS 8 4 operating system that will manage:

Two clustered 7205 controllers with 300 campus APs Two clustered VMC-50 controllers with 75 remote APs

The architect plans on creating user roles, firewall policies, and wireless IPS policies on the controllers as well as implementing AirMatch.

What would meet the license requirements for this scenario?

A. LIC-MC-VA-50 (X2), LIC-AP (375), PEF (X375), RFP (X375)

B. LIC-MC-VA-50 (x1), LIC-AP (300), PEF (X300). RFP (x300)

C. LIC-MM-VA-50, LIC-MC-VA-50 (X1), LIC-AP (X300), PEF

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: